









Component	Label	Value	Number
Diode (1N4407)	D1, D2, D3, D4	1N4007	4
Resistance	R101,R201	RTI-0.25~1K Ω \pm 5%	2
Resistance	R102,R202	RTI-0.25~10K Ω \pm 5%	2
Resistance	R103,R203	RTI-0.25~1.5K Ω \pm 5%	2
Resistance	R104,R204	RTI-0.25~5.6K Ω \pm 5%	2
Resistance	R105,R205	RTI-0.25~1K Ω \pm 5%	2
Resistance	R106,R206	RTI-0.25~1K Ω \pm 5%	2
Resistance	R107,R207	RTI-0.25~33K Ω \pm 5%	2
Resistance	R108,R208	RTI-0.25~47K Ω \pm 5%	2
Resistance	R109,R209	RTI-0.25~300K Ω \pm 5%	2
Resistance	R110,R210	RTI-0.25~10K Ω \pm 5%	2
Duplex Potentionmeter	W101, W102, W103	50K	3
Electrolytic Capacitor	C1, C2, C3, C4	2200uf/25V	4
Polyester Capacitor	C5, C6	0.1uf	2
Ceramics Capacitors	C101, C201	4700pf	2
Ceramics Capacitors	C102, C202	22nf	2
Ceramics Capacitors	C103, C203	220nf	2
Ceramics Capacitors	C104, C204	22nf	2
Ceramics Capacitors	C105, C205	10nf	2
Ceramics Capacitors	C106, C206	47nf	2
Ceramics Capacitors	C107, C207	0.1uf	2
Aluminum Heat Sink	/	/	2
TDA2030A	IC1, IC2	TDA2030A	2
M3 Screw	/	3mm	2
PCB	/	/	1
Terminal (HT3.96-2P)	/	/	2
Terminal (HT3.96-3P)	/	/	1
Headset Seat	/	/	1